

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---|------|------|--|--|---------------------|----------|
| 1 | BRS | 0 | waveform\$1 with weight\$1 with receiv\$3 with pin with (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB | 2005/01/09 13:15 | |
| 2 | BRS | 0 | waveform\$1 with weight\$1 with pin with (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB | 2005/01/09 09:46 | |
| 3 | BRS | 0 | waveform\$1 with weight\$1 with pin\$1 with (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB | 2005/01/09 09:46 | |
| 4 | BRS | 0 | waveform\$1 with (factor\$1 or weight\$1) with pin\$1 with (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB | 2005/01/09 09:47 | |
| 5 | BRS | 6 | waveform\$1 with (factor\$1 or weight\$1) and pin\$1 with (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB | 2005/01/09 10:40 | |
| 6 | BRS | 28 | waveform\$1 same (factor\$1 or weight\$1) and pin\$1 with (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB | 2005/01/09 10:17 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|---|--|---------------------|----------|
| 7 | BRS | 5 | waveform\$1 same (factor\$1 or weight\$1) and pin\$1 with (DUT or device adj under adj test) and network\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 10:09 | |
| 8 | BRS | 1 | "6512989".uref. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:27 | |
| 9 | BRS | 1563 | 702/66-71,108,122.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 10:12 | |
| 10 | BRS | 167 | 714/742.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:30 | |
| 11 | BRS | 1 | "5226118".PN. | USPAT; USOCR | 2005/01/09 10:13 | |
| 12 | BRS | 1 | "5235549".PN. | USPAT; USOCR | 2005/01/09 10:13 | |
| 13 | BRS | 1 | "5589763".PN. | USPAT; USOCR | 2005/01/09 10:13 | |
| 14 | BRS | 1 | "5646521".PN. | USPAT; USOCR | 2005/01/09 10:13 | |
| 15 | BRS | 1 | "5748124".PN. | USPAT; USOCR | 2005/01/09 10:13 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|---|--|---------------------|----------|
| 16 | BRS | 1 | "6085341".PN. | USPAT; USOCR | 2005/01/09 10:13 | |
| 17 | BRS | 1 | "5938780".PN. | USPAT; USOCR | 2005/01/09 10:14 | |
| 18 | BRS | 1 | "5918198".PN. | USPAT; USOCR | 2005/01/09 10:14 | |
| 19 | BRS | 1 | "5781557".PN. | USPAT; USOCR | 2005/01/09 10:14 | |
| 20 | BRS | 1 | "5748124".PN. | USPAT; USOCR | 2005/01/09 10:14 | |
| 21 | BRS | 11 | optimiz\$6 with mask\$3 with waveform\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 13:45 | |
| 22 | BRS | 8 | waveform\$1 same (factor\$1 or weight\$1) and pin\$1 with (DUT or device adj under adj test) and mask\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 10:20 | |
| 23 | BRS | 23 | waveform\$1 with (factor\$1 or weight\$1) with mask\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 10:19 | |
| 24 | BRS | 0 | waveform\$1 with (factor\$1 or weight\$1) with mask\$3 and pin\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 10:19 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|---|--|---------------------|----------|
| 25 | BRS | 0 | waveform\$1 with (factor\$1 or weight\$1) with mask\$3 and (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 10:20 | |
| 26 | BRS | 113 | waveform\$1 same (factor\$1 or weight\$1) same mask\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 10:20 | |
| 27 | BRS | 17 | waveform\$1 same (factor\$1 or weight\$1) same mask\$3 same compar\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 10:21 | |
| 28 | BRS | 4 | waveform\$1 same (factor\$1 or weight\$1) same mask\$3 same compar\$4 and pin\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 10:21 | |
| 29 | BRS | 13 | waveform\$1 with (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 10:41 | |
| 30 | BRS | 41 | waveform\$1 same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 10:41 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|--|--|---------------------|----------|
| 31 | BRS | 0 | waveform\$1 same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) and lost with point\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 10:42 | |
| 32 | BRS | 0 | waveform\$1 same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) and bin\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 10:42 | |
| 33 | BRS | 10 | waveform\$1 same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) and mask\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:03 | |
| 34 | BRS | 10 | (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) and mask\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:05 | |
| 35 | BRS | 46 | (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1 or vector\$1 or matrices or matrix) and pin\$1 and (DUT or device adj under adj test) and mask\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:06 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|---|--|---------------------|----------|
| 36 | BRS | 4 | (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1 or vector\$1 or matrices or matrix) and pin\$1 and (DUT or device adj under adj test) and mask\$3 and calculat\$3 with sample\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:07 | |
| 37 | BRS | 0 | (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1 or vector\$1 or matrices or matrix) and pin\$1 and (DUT or device adj under adj test) and mask\$3 and calculat\$3 with los\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:08 | |
| 38 | BRS | 24 | (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1 or vector\$1 or matrices or matrix) and pin\$1 and (DUT or device adj under adj test) and mask\$3 and calculat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:20 | |
| 39 | BRS | 1 | "6363450".PN. | USPAT; USOCR | 2005/01/09 11:12 | |
| 40 | BRS | 1 | "6170059".PN. | USPAT; USOCR | 2005/01/09 11:12 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|--|--|---------------------|----------|
| 41 | BRS | 1 | "5625780".PN. | USPAT; USOCR | 2005/01/09 11:12 | |
| 42 | BRS | 1 | "6008683".PN. | USPAT; USOCR | 2005/01/09 11:12 | |
| 43 | BRS | 1 | "4651088".PN. | USPAT; USOCR | 2005/01/09 11:13 | |
| 44 | BRS | 4 | (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) and mask\$3 and calculat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:27 | |
| 45 | BRS | 4 | (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) and mask\$3 and lost\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:18 | |
| 46 | BRS | 636 | 324/763.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:22 | |
| 47 | BRS | 0 | "6804620".uref. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:22 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|---|--|---------------------|----------|
| 48 | BRS | 9 | (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and (pin\$1 or probe\$1) same (DUT or device adj under adj test) and mask\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:24 | |
| 49 | BRS | 4 | (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and (pin\$1 or probe\$1) same (DUT or device adj under adj test) and mask\$3 and (internet or intranet or network\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:25 | |
| 50 | BRS | 350 | 714/724.ccls. and waveform\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:27 | |
| 51 | BRS | 1 | 714/724.ccls. and (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:28 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|---|--|---------------------|----------|
| 52 | BRS | 7 | "714"/\$.ccls. and (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 12:01 | |
| 53 | BRS | 1252 | 714/726,742.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:52 | |
| 54 | BRS | 416 | 371/27.icls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:49 | |
| 55 | BRS | 1563 | 714/726,735,742.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 13:50 | |
| 56 | BRS | 1 | "5257268".PN. | USPAT; USOCR | 2005/01/09 11:56 | |
| 57 | BRS | 9 | "6041429".uref. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:57 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|---|--|---------------------|----------|
| 58 | BRS | 1 | "6041429".uref. and waveform\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 11:58 | |
| 59 | BRS | 11 | (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and test\$3 with vector\$1 with (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 12:03 | |
| 60 | BRS | 2 | memory with (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and test\$3 with vector\$1 with (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 12:04 | |
| 61 | BRS | 1 | bit\$1 with (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and test\$3 with vector\$1 with (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 12:04 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|--|--|---------------------|----------|
| 62 | BRS | 0 | (determin\$3 or calculat\$3) with (number or count\$1) with sampl\$3 with (point\$1 or data) with mask\$3 with waveform\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 12:13 | |
| 63 | BRS | 286 | (determin\$3 or calculat\$3) with (number or count\$1) with sampl\$3 with (point\$1 or data) with waveform\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 12:13 | |
| 64 | BRS | 0 | (determin\$3 or calculat\$3) with (number or count\$1) with sampl\$3 with (point\$1 or data) with waveform\$1 same mask\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 12:13 | |
| 65 | BRS | 11 | (determin\$3 or calculat\$3) with (number or count\$1) with sampl\$3 with (point\$1 or data) with waveform\$1 and mask\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 12:14 | |
| 66 | BRS | 0 | (determin\$3 or calculat\$3) with los\$3 with sampl\$3 with (point\$1 or data) with waveform\$1 and mask\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 12:15 | |
| 67 | BRS | 5 | los\$3 with sampl\$3 with (point\$1 or data) with waveform\$1 and mask\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 12:15 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|---|--|---------------------|----------|
| 68 | BRS | 2 | waveform\$1 with map\$3 with nodes | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 13:25 | |
| 69 | BRS | 0 | waveform\$1 with mask\$3 with lost with sampl\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 13:25 | |
| 70 | BRS | 0 | waveform\$1 with mask\$3 same lost with sampl\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 13:25 | |
| 71 | BRS | 5 | waveform\$1 with mask\$3 and lost with sampl\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 13:26 | |
| 72 | BRS | 719 | waveform\$1 and lost with sampl\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 13:26 | |
| 73 | BRS | 0 | waveform\$1 and lost with sampl\$3 with (point\$1 or data) with compar\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 13:27 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|--|--|---------------------|----------|
| 74 | BRS | 8 | waveform\$1 and lost with sampl\$3 with compar\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 13:27 | |
| 75 | BRS | 1 | mask\$4 with waveform\$1 with lost\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 13:45 | |
| 76 | BRS | 3 | mask\$4 with waveform\$1 same lost\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 13:46 | |
| 77 | BRS | 179 | mask\$4 with waveform\$1 with (compar\$4 or differen\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 13:46 | |
| 78 | BRS | 6 | mask\$4 with waveform\$1 with (compar\$4 or differen\$2) with bit\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 08:12 | |
| 79 | BRS | 1865 | 714/723,726,735,742.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/09 13:50 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|---|--|---------------------|----------|
| 80 | BRS | 11 | waveforms and lost\$3 with mask\$4 and (compar\$4 or differen\$2) with bit\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 08:14 | |
| 81 | BRS | 1 | waveforms same memory and lost\$3 with mask\$4 and (compar\$4 or differen\$2) with bit\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 08:16 | |
| 82 | BRS | 174 | "702"/\$.cccls. and tsai.xa. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 08:26 | |
| 83 | BRS | 2 | "20030033099" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 08:52 | |
| 84 | BRS | 6856 | 370/493-495,503,468,508-510,512,516.cccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 08:53 | |
| 85 | BRS | 4975 | 342/26,28,104,107,109,113-115,118,134,139,146,147,175,195,101,159,202-204.cccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 08:54 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|--|--|---------------------|----------|
| 86 | BRS | 3292 | 455/295,296,63.1,302-306.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 08:54 | |
| 87 | BRS | 478 | 375/220.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:07 | |
| 88 | BRS | 4 | waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with shift\$3 with (differen\$2 or compar\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 08:56 | |
| 89 | BRS | 0 | waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with shift\$3 with (differen\$2 or compar\$4) and (factor\$1 or weight\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 08:57 | |
| 90 | BRS | 64 | waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) and (factor\$1 or weight\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:26 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|--|--|---------------------|----------|
| 91 | BRS | 7 | waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) and calculat\$3 with (factor\$1 or weight\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 08:59 | |
| 92 | BRS | 7 | waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) and calculat\$3 with (factor\$1 or weight\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:02 | |
| 93 | BRS | 3 | waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) with (factor\$1 or weight\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 08:59 | |
| 94 | BRS | 0 | waveform\$1 and transmit\$4 with receiv\$3 with calculat\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) with (factor\$1 or weight\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:03 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|----|------|------|--|--|---------------------|----------|
| 95 | BRS | 3 | waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) with (factor\$1 or weight\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:03 | |
| 96 | BRS | 9 | waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) same (factor\$1 or weight\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:24 | |
| 97 | BRS | 1594 | 375/219,220.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:07 | |
| 98 | BRS | 1 | waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) same (factor\$1 or weight\$2) and pin\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:25 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|-----|------|------|--|--|---------------------|----------|
| 99 | BRS | 0 | waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) and pin\$1 with (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:27 | |
| 100 | BRS | 0 | waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) and pin\$1 with (DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:27 | |
| 101 | BRS | 0 | waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) and pin\$1 with (tester\$1 or DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:28 | |
| 102 | BRS | 2 | waveform\$1 with (loss\$2 or lost\$3) and pin\$1 with (tester\$1 or DUT or device adj under adj test) and transmit\$4 with receiv\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:37 | |
| 103 | IS&R | 2 | ("5010297").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:30 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|-----|------|------|---|--|---------------------|----------|
| 104 | BRS | 0 | waveform\$1 with (loss\$2 or lost\$3) with (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:38 | |
| 105 | BRS | 0 | waveform\$1 with (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:39 | |
| 106 | BRS | 0 | waveform\$1 same (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:39 | |
| 107 | BRS | 17 | waveform\$1 and (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:39 | |
| 108 | BRS | 11 | waveform\$1 and (loss\$2 or lost\$3) with (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:40 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|-----|------|------|--|--|---------------------|----------|
| 109 | BRS | 4 | waveform\$1 and (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test) and communicat\$4 with network\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:48 | |
| 110 | BRS | 2 | waveform\$1 and (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test) and communicat\$4 with network\$1 and receiv\$3 with transmit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:44 | |
| 111 | BRS | 2 | waveform\$1 and (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and communicat\$4 with network\$1 and receiv\$3 with transmit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:45 | |

| Type | Hits | Search Text | DBs | Time Stamp | Comments |
|---------|------|--|--|---------------------|----------|
| 112 BRS | 3 | waveform\$1 and (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and receiv\$3 with transmit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:45 | |
| 113 BRS | 0 | waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and communicat\$4 with network\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:49 | |
| 114 BRS | 0 | waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and communicat\$4 with network\$1 and receiv\$3 with transmit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:49 | |
| 115 BRS | 89 | waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:50 | |
| 116 BRS | 5 | waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and receiv\$3 with transmit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:49 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|-----|------|------|--|--|---------------------|----------|
| 117 | BRS | 15 | waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and network\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:54 | |
| 118 | BRS | 1 | waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and network\$1 and loss\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:56 | |
| 119 | BRS | 2 | waveform\$1 same driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and network\$1 and loss\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:58 | |
| 120 | BRS | 0 | waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) with (weight\$2 or factor41) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:59 | |
| 121 | BRS | 0 | waveform\$1 same driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) with (weight\$2 or factor41) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:59 | |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments |
|-----|------|------|---|--|---------------------|----------|
| 122 | BRS | 0 | waveform\$1 and driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) with (weight\$2 or factor41) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/01/10 09:59 | |